

# 1000 SRE

Maintenance for Machines  
and Large Parts



## APPLICATION

## ADVANTAGES

<b>In general</b>	✓ Fast, gentle, and efficient
	✓ Both climate friendly and health friendly
	✓ Autonomous, mobile, can be used inside a workshop
<b>Parts cleaning</b>	✓ Cleaning from precision parts up to 10 ton parts
	✓ With or without cleaner, gentle on fragile surfaces
	✓ Recycling of dirt water
<b>Machine cleaning</b>	✓ Using the own emulsion
	✓ Ideal for areas which are difficult to access or fragile
	✓ Reduction of stillstand times
<b>Disinfection of cooling liquids (option)</b>	✓ Efficient disinfection = longer lifetime of coolant
	✓ No chemistry or biocides = less health problems
	✓ During full production = no standstill times
<b>Application examples</b>	✓ Cleaning tooling machines and disinfecting coolant
	✓ Cleaning of large parts in combination with collector SRS
	✓ Degreasing prior to paint jobs or powder coating

## Technical Data 1000 SRE

- Mobile and independent
- Large selection of accessories
- Stepless pressure control
- Dosing device for cleaning agents
- Option external suction
- Option thermal disinfection



Technical Data	1000 SRE
Working pressure	~ 3.0 - 7.5 bar
Working temperature	~ 95°C in 60 seconds
Spray-/water volume	~ 1.1 - 1.8 liters / minute
Type of current	3P-N-PE / 400V / 50Hz / 16A
Power consumption	10.1 KW
Filling capacity	60 liter tank 5 liter concentrate tank
Automatic water level control tank	Standard
Filling of tank	With quick change coupling for hoses
Dimensions	980 x 550 x 670 mm
Weight (empty)	~ 65 kg
Water recycling	Only in combination with collector unit
Noise level	< 70 dBA
Pressure control	Stepless, on the unit
Temperature control	Option 1000 ET
External suction	Option 1000 ASE
Thermal disinfection	Option 1000 EK
Dosing pump for cleaning agent	Option DE-DP
Connector cable	7.5 meters
Hoses	Spray hose lance 5 meters
Chassis in customer colour	Option 1000 WF
Stainless steel upgrades	Options SRE-EC (chassis) 1000 ER (wheels)

Subject to technical modifications. As of August 13, 2021.